

#### 2023 CARIBIANA MARACAS 23 - SPECS

Our Maracas pays tribute to the island nation this boat originated from, Trinidad's North Coast. Maracas Bay is known for its gorgeous beaches and beautiful deep water.

This stunning, handcrafted boat is built with artistry and precision in mind. The Maracas embodies a beautiful balance of style, craftsmanship and modern functionality to make it a timeless artisan sea skiff.

LENGTH OVER ALL - 23'
BEAM - 66" (5' 6")
GROSS WEIGHT - 1500 lbs less engine
MAXIMUM PERSON - 8
MAXIMUM WEIGHT - 3100 lbs rigged, with passengers
FUEL CAPACITY - 23 gallons
HORSEPOWER - 60 or 90 HP Suzuki 4-Stroke (DF60A, DF90A)
DRAFT - 8" w/Jack Plate, 13" standard

#### **HULL CONSTRUCTION:**

- Resin Infused using Woven Fiberglass Fabric and Polynt's highest quality Gelcoats
- Non-skid surfaces, optional Wood Grate Flooring and Wooden Gunnel treatments
- Stainless Rub Rail or optional Rope Inlay

HULL COLORS - Celestial (Light Blue), Coral, Mango, Midnight (Dark Blue), Seafoam and Melanie (white)\*

\*Colors are proprietary. Caribiana's white is named after our Fabric Designer, Melanie Martin of Melanie Martin Interiors.

CANVAS COLORS - TBD

#### **STANDARD FEATURES:**

Suzuki DF60A

- Suzuki Binnacle
- Suzuki Analog Gauge Panel w/Simrad NSX3007 (standard with DF60A)
- Non-skid Deck and Gunnel
- Gunnel Wood Trim Side Only, Wood Breastplate, Stainless Rub Rail
- Proprietary Fiberglass Captain Seat (single or double)
- Proprietary Seat Backs
- Aluminum 23 gallon Fuel Tank
- Livewell and Cooler Compartments
- Dry Storage Compartments Port, Stbd., Bow
- Anchor Locker
- New Design Fiberglass Helm
- Self-bailing Cockpit
- Stainless Edison Steering Wheel
- Automatic Bilge Pumps (2)
- Baitwell Pump
- Stainless Steel Pull-up Cleats
- Sprung Hatches
- Stow Away Navigation Lights
- Fusion DSP Stereo System
- Custom Upholstery
- Custom (larger) Bimini

# **OPTIONAL FEATURES & UPGRADES:**

- Suzuki DF90A
- Stainless Binnacle Uflex
- Jack Plate TH Marine
- Trim Tabs Zipwake Automatic
- Suzuki Digital Gauge Panel w/Simrad NSX 3009 (standard with DF90A)
- Suzuki Analog Gauge Panel w/Simrad NSX3007 (standard with DF60A)
- Simrad Xsonic Transducer
- Subwoofer
- UW Light
- Tow Pole
- Swim Ladder
- Edson Wheel of Choice
- Full Gunnel Wood Treatment
- Gloss Wood Finish
- Rope Rub Rail
- Wood Floor Grating
- Wood Captain Seat
- Wood Tray Table
- Wood Jump Seat
- Fiberglass Jump Seat

- Mooring Cover
- Magic Tilt Welded Bunk Trailer

#### **GAUGE PACKAGES:**

#### ANALOG

# SUZUKI

- o 4" White Tachometer
- o 2" Hour Meter
- o 2" Hour Meter
- o 2" Fuel Gauge

#### SIMRAD

- NSX 3007 MFD Display
- Glue Puck Transducer

#### **FUSION**

- MS-WB675 Apollo Hideaway Stereo
- o MS-ERX400 Wired Remote
- o Apollo 4 Channel Marine Amp
- o Signature Series 3i 7.7 Sport Speakers

#### DIGITAL

# SUZUKI

SMG4 Multifunction Gauge LCD Display

#### **ZIPWAKE**

Dynamic Trim Control Digital Gauge

#### SIMRAD

- NSX 3009 MFD Display
- Glue Puck Transducer

# **FUSION**

- MS-WB675 Apollo Hideaway Stereo
- o MS-ERX400 Wired Remote
- Apollo 4 Channel Marine Amp
- Signature Series 3i 7.7 Sport Speakers

#### **SUZUKI MARINE OUTBOARD DF60A** (\*denotes new features)

- Cool White body color
- 5 year limited factory warranty
- 20" Shaft
- Weight L: 229lbs
- Engine type DOHC 12-Valve
- Multi point digital sequential electronic fuel injection fuel delivery system\*
- 3 Cylinders
- Piston Displacement 57.4" 941cc
- Bore X Stroke 2.85 x 2.99"
- Maximum output 60
- Operating range 5300-6300 RPM
- Remote steering
- 2.9 quarts Oil Capacity
- Solid state direct ignition
- Alternator 12V 19A
- Power trim & tilt
- Powerful 2.27:1 Gear ratio
- Standard 3 Blade Stainless Prop
- FEATURES: DIRECT IGNITION, SELF-ADJUSTING TIMING CHAIN, SUZUKI LEAN BURN CONTROL SYSTEM, SUZUKI EASY START SYSTEM, OVER-REV. LIMITER, LOW OIL PRESSURE CAUTION, FRESH WATER FLUSHING SYSTEM, SUZUKI TROLL MODE SYSTEM, TILT LIMIT, DUAL WATER INTAKES

# **SUZUKI MARINE OUTBOARD DF90** (\*denotes new features)

- Cool White body color
- 5 year limited factory warranty
- 20" Shaft
- Weight L: 343lbs
- Engine type DOHC 16-Valve
- Multi point digital sequential electronic fuel injection fuel delivery system\*
- 4 Cylinders
- Piston Displacement 91.7"
- Bore X Stroke 3 x 3.3"
- Maximum output 90
- Operating range 5300-6300 RPM
- Remote steering
- 4.2 quarts Oil Capacity
- Solid state direct ignition
- Alternator 12V 27A
- Power trim & tilt
- Powerful 2.59:1 Gear ratio\*
- Standard 3 Blade Stainless Prop
- Zero maintenance self-adjusting time chain\*
- FEATURES: 2-STAGE GEAR REDUCTION SYSTEM, HYDRODYNAMIC GEAR CASE, OFFSET DRIVESHAFT, DIRECT IGNITION, SELF-ADJUSTING TIMING CHAIN, SUZUKI LEAN BURN

CONTROL SYSTEM, SUZUKI EASY START SYSTEM, LOW OIL PRESSURE CAUTION, FRESH WATER FLUSHING SYSTEM, SUZUKI TROLL MODE SYSTEM, TILT LIMIT SYSTEM

# **CONTACT:**

Sales@caribiana.com (251) 202-9902 www.caribiana.com